(The following parts are for examples and A Please read before assembly. are not included with this product.)

A CAUTION

- For advanced users 15 and up. Do not give to children under the age of 15.
- Be careful not to mistakenly swallow small parts. May cause suffocation. Do not give to small children.
- Due to the production process, the parts have sharp edges which may poke eyes or skin.
- Take care not to inhale the plastic shavings when assembling.
- Make sure to paint in a well-ventilated area.
- Be cautious while using cutting tools when building.
- Be gentle when handling the product to avoid accidental injury.
- There may be unannounced changes to the final product.

READ BEFORE ASSEMBLING

OMake sure all of the necessary parts are included before assembling. OUse nippers or a hobby knife to cleanly cut the parts (take care to avoid injury). OModel kit may require extra materials such as a hobby knife or plastic model paint. **OWe recommend you use water-based paint to safely paint** this model. Tools and other materials can be purchased at model shops and do-it-yourself carpentry shops. \bigcirc We may be unable to answer some questions regarding paint.

CONNECTING PARTS

This kit has insertion-type connections: utilizing plastic model glue (sold separately) will make the connections even more secure.

※Please use glue for ABS plastic on the ABS plastic parts.



切り取る

選択式 Cut off Interchangeable parts

数字の個数作る Make as many as the number indicated

X2

パーツの下にある ピンセットの ゲートを切り取る 使用を推奨 Cut off the gate Usage of tweezers is recommended from under the part

使用しないパーツ

Parts that will

not be used



切り取る位置に注意

Do not cut the


connector part

Parts Numbers

記号の説明


The parts are numbered using a combination of numbers and alphabet.

Symbol Explanation




Instruction Bubbles with Double Lines

Cutting Parts




Cutting Parts with *E*



(1) Cut a little bit away from the parts.


Instruction bubbles with double lines are supplement images such as "Side View" and "Assembly Example." Refer to images when assembling.




Gray Portions with Arrows

The gray portions of the arrows pass through other parts or show hidden connecting points.


(Example)






Flight Unit Ho229 Type-S & 9S (YoRHa No. 9 Type S) PARTS LIST


*Grayed out parts will not be used.



SPRUE B




SPRUE C




SPRUE D

(ABS)




SPRUE E

(ABS)




SPRUE F




SPRUE G

(ABS)




SPRUE H

(PS)




SPRUE I

(PS)




SPRUE J

(PS)




SPRUE K x2

(PS)




SPRUE L x2

(PS)




SPRUE M


(ABS)




SPRUE O x2 (ABS)




SPRUE P (ABS)




SPRUE N x2 (ABS)




SPRUE Q x2



SPRUE R (PS)




*The extra pieces of O**9** are spares.




OWater Slide Decal

*Pre-painted areas can be removed with model paint thinner.









MINI FLYING BASE *The parts are used to assemble the mini flying base. SPRUE A (ABS) А ミニフライングベース 0 ABS \bigcirc 0 HG020 3 4 Ð \bigcirc 0 (5) (6)0 ©KOTOBUKIYA


Flight Unit Ho229 Type-S (Mobile Form)

Assemble the Interface Suit








Assemble the Nose





Assemble the Torso


















X2 Assemble the Ankles






Assemble the Right Leg







Assemble the Left Leg




Assemble the Right Arm




Assemble the Left Arm




Assemble the Right Sub-Arm





Assemble the Left Sub-Arm





Assemble the Flight Unit Ho229 Type-S (Mobile Form)














Assemble the Flight Unit Ho229 Type-S (Mobile Form) Display Base




Adjust the Engine Nozzle Cover




9S (YoRHa No. 9 Type S)




Assemble the Legs






Assemble the Pod (Normal State)




Assemble the Mini Flying Base


*Use Mini Flying Base SPRUE A for assembly.




Assemble the 9S (YoRHa No. 9 Type S) + Pod (Normal State) Display Base



How to Attach 9S (YoRHa No.9 Type S) to Flight Unit Ho229 Type-S (Mobile Form)








Flight Unit Ho229 Type-S (Mobile Form)


Transform the Torso


*This section provides instructions for when 9S (YoRHa No. 9 Type S) is not attached to Flight Unit Ho229 Type-S (Mobile Form). Transformation is possible in the same manner even with 9S (YoRHa No. 9 Type S) attached.

















Transform the Arms






Assemble the Flight Unit Ho229 Type S (Flight Form)



Assemble the Base for Flight Unit Ho229 Type-S (Flight Form)



Finished Assembly Images

<Flight Unit Ho229 Type-S (Mobile Form) & 9S (YoRHa No. 9 Type S)>



<Flight Unit Ho229 Type-S (Flight Form) & 9S (YoRHa No. 9 Type S)>



Attaching Decals

Prepare scissors or a hobby knife, tweezers, and cotton swabs.
The decal sticks on easily if the oil on the surface is removed with detergent first.



Do not touch the decal until it has dried completely.

- ① Cut the decal and backing with scissors or a hobby knife.
- (2) Float the decal in cold or lukewarm water for 10 seconds and then remove with tweezers.
- ③ Remove the decal from the backing, and attach while adjusting the position.
- ④ Gently push on the decal with the cotton swab to remove remaining water. It is complete when the decal is completely dry.
- Decals cannot be attached to rough surfaces or surfaces that absorb water (i.e. rough, unpainted wooden materials).
- To remove a mistakenly attached decal, place a thoroughly wet towel over it for 10 minutes and lightly rub the decal off.

(Tips for Attaching Decals to Curved Surfaces)

Decals attach smoothly to curved surfaces when softened first with decal softener (sold separately).

Additionally, through the use of surface finishing spray (sold separately), you can ensure that the decal does not get ripped.

- **When removing and attaching parts to your model, make sure to not touch the surface you have attached the decal to.**
- **※** Decals rip easily after the use of decal softener. Make sure to not touch the decal until it has fully dried.
- If a white space appears, you can either cut it out along the shape of the part, or fold it to the inside.
- When using decal softener and surface finishing spray, make sure to follow the product's directions.